G. R. S. 59]

GENERAL AND REVENUE SECRETARIAT.

1908.
(Miscl.)

File No. 411 — 08

Serial Nos. 1 to 13

Papers Filed.

Month June 1911

SUBJECT.

Restoration of the Sree Renukamba temple at Chundragutte, Sagar Taluk,

PREVIOUS REFERENCES.	LATER REFERENCES
Misc 5 - 95	Mysr file 10-12 & 5 182
M. Venkatarangaiya, Reader	

G.R.S. 1[] 1908.

GENERAL AND REVENUE SECRETARIAT.

(Mysore)

NOTES.

File No. 411-08 ~~834-08~~

FILE HEADING.

Restoration of the Sri Renukamba temple at Chandragutti

From

No.	Dated	Received
Diary No. 839	Enclos	Spare Copies · Serial No. 1

BRIEF ABSTRACT OF LETTER.

D. R. A. Subject No. 364 of 1908.

NOTES AND ORDERS.

Under Secy's order.

"May be referred to D. C. for report"

Draft subd
4/4/1908

2 issue
8/5/1908

Files

NOTES—First sheet

G I B—30,000 3-1 07

Revenue | Jmz File No. 411 of 1908

Serial No.	
2	From Nadig Lingappa and others. Memorial No 115 Dt 3.3.1909 addressed to H.H Pray for the early restoration of the temple
3	To D.C. Shimoga No 1255 Dt 10.3.1909 Invites attention to the S.R.A.Bo No 364 of 1908 and requests an early reply.
4	From Do — No 564/86 Dt 19th April 1909. Reports that an Estimate for the work works to the temple is under preparation
5	From Do — No 437/42 Dt 1st April 1910 Submits for Sanction an Estimate for Rs 440/- for repairing the leaky roof. with Pate's Rubberoid roofing and proposes that the Contractor may be employed in the temple work.

The Estimate is prepared by the P.W. Department Submitted for orders Sanction & Establishment submitted for 11/4/1910 Submitted to Chief Dept Submitted to Head Quarters Chief Secretary

Dy 11.4.10 507 Dy 12/4/10 Draft Submd. 14/4/1910

3312

This proposal to use Rubberoid as a roof for a temple in Malnad (Probable rainfall above 100 inches) is in the nature of an experiment. The Opinion

GPB—55,000—27-4-09

Revenue Secretariat.

File No. 411 of 1908

Serial No.	
	of the Chief Engr would be useful 16/4/10 Asstt Draftsman Chief Engineer 19.4.10
	Orders. Draft submitted Issue. by Mr Roberts - M/Ldare
6	To. The Chief Engr etc 2571 of 25.4.10 Forwards the estimate for favour of opinion on the proposal to use rubberoid roofing for a temple in the Malnad on a hill where the probable rainfall is above 100 inches.
7	From the Dy Comr Shimoga Dist No 107/24 of 16.4.10. States that the subject has been brought before the preliminary meeting of D R members and requests to send the estimate submitted with his No 437/42 of 14.10 (85)

NOTE.—Contn sheet.

GPB—55,000—27.10.

Serial No.

A reminder to the Chief Engineers is put up
Mdu 20/9/10
Draft Submd Mdu 21 9 10
Instn Dy Comrs 8/ 21/9/1910
Issue 23/9/1910

8 To, the Dy Commr, Shimoga Dept
Letters Docket no 852 Dy 5 10 1910
States that the Ch Engrs'
reply is awaited

9. from, the chief Engr of Mysore.
Letter no 2486 Dy 27-3-1911
Furnishes his opinion on
the subject
In regard to the estimate
for covering the roof of Sri Renukamba
Temple, the Ch Engr states that the
material was used for an identical
purpose in Lakkerpur Hassan Dist,
where the rainfall is about the
same as in Sagar and is reported
to have proved quite unsuitable for
the purpose, and that further use of
this material is not considered desirable
that officers add that good concrete
and plaster ought to answer in the

NOTE—Contn sheet.

GPB—55,000—27-4-09

enue
t.

File No. 411 of 1908

Serial No.

particulars in instance named
submitted for orders.
AM (132) The Chief Engr has not returned the
3.4.1911 Estimate sent to him. Reminder sent.
Draft calling for the same is subd.
RL
3.4.11

Issued 4/6/1911

60

To
The Chief Engineer of Mysore
Letter no 2583 D 11.4.11
Requests that the Estimate
for Rs 440/- forwarded with this office
letter no 2571 D 25.4.910 may be returned

The estimate for Rs 440/- called
for in this Sl 10 has been received to-day.
Submitted for orders.
AM (132)
29.4.1911 a copy of the Chief Engr's letter with
the Estimate subd by the Dy Com. may be
sent to the Dy Com. pending rect of a revised
Estimate for the repairs of the temple under the
circumstances stated by the Chief Engr

RL (21)
29.4.11

29.4.11

Submitted with a draft
AM (132)
29.4.1911 RL

1.5.11

NOTE— Contn. sheet.

GPB—50,000—12-8-10

Serial No.

11 Do

The Dy Comm Shimoga Lr
no 2840 d 6·5·11

In Contin^n of this office docket no 8528/ 5·10·1910 forwards a Copy of letter no 2486 d 27·3·1911 from the Chief Engr together with the estd for Rs 440/ and requests that a revised Estd may, if necessary be subd. for Sanction of Govt ——

12 From the Dy Comr Shimoga Lr
no 358/75 d 25·5·11
States that the temple is in urgent need of repairs and submits an estimate for Rs 200/- for making the roof water-tight and promises to submit a revised estimate on receipt of the same from the Asst Engr
~~Submitted with a draft~~

Repetition of previous notes

Sl 9 In Sl 5 above the Dy Comr had submitted an estimate for Rs 440/- for repairing the roof with patent Ruberoid roofing, but on the chief Engrs opinion that Ruberoid roofing ~~was~~ is quite unsuitable in the place

Sl 10 the Dy Comr was requested to submit a revised estimate for ~~covering~~ repairing the roof with good Concrete & plaster. The Dy Comr

NOTE— Contn. sheet.

GPB—50,000— 12 8 10

Rev File No. 411 of 1908

Serial No.

now states that he inspected the temple on the 10th instant & found it in urgent need of repairs & has submitted the present estimate the present estimate is in accordance with the chief Engineer's opinion The Dy Comr however, states further that ~~the~~ he will submit a revised estimate on receipt of the same from the Amildar to whom the G.O (Sl 10) is said to have been forwarded. ~~The~~ ~~It is submitted that~~ what the Dy Comr means by this, ~~is~~ does not seem to be quite clear

Submitted for orders with a draft order sanctioning.

Apparently the D.C. has got this Estimate prepared on the spot during his tour (apart from the previous Correspce) owing to its urgency. He inspected it on 10th April & Estimate is dated 13th idem.

Clk 30.5.11 The Dy Comr has sent up this Estimate for Rs 200 provisionally, and the Estimate Expected from the Amildar of Sorab may be inclusive of the present one. Draft order sanctg is subd?

139

RL 26/31/5/11

may be approved

2nd Councillor 2/6/11

Draft approved by 2nd Councillor 14.6.11

13 To. The Dy. Comr Shimoga

compltr. Chief Engr. Sanction is Sig. Rs 200

No 3253-5 & 28 6 1911

NOTE—Contn. sheet.

GPB—50,000—12 8 10

D 839
Mud 7 4/11-08-1

SUBJECT No. 364.

Restoration of the temple of Sri Renukamba at Chandragutti.

Messrs. Yagaiyana Krishnappa and Yagaiyana Subba Rao, Sagar Taluk

Summary of discussion.—The temple of Sri Renukamba is in disrepair. Further there is no accommodation for the pilgrims who go there during the Dasara and the water-supply is extremely meagre at the time of the car festival. As this is a very ancient temple and as a big jatra also is held in the locality, it is prayed that the temple may be properly restored and steps taken to afford the necessary conveniences to the pligrims visiting the shrine.

Reply of Government.—Will be referred to the Deputy Commissioner.

OFFICE OF THE PRIVATE SECRETARY TO
HIS HIGHNESS THE MAHARAJA OF MYSORE.

O. 2337/1

Bangalore, 5. 3. 1909

D1083
Muz E 411-08-2

Report and papers
11/3/09
MJ

411. 9.
8/3/1909

Petition as shown below, to His Highness the Maharaja, is

transferred to the Secretary to the Government of His Highness the Maharaja

of Mysore, General and Revenue Department (Branch), Bangalore, for disposal

No. 111 S of 08-09.

By Order,

I. C. S.
Private Secretary
to H. H. the Maharaja of Mysore.

D10873

OFFICE OF THE PRIVATE SECRETARY
TO HIS EXCELLENCY THE VICEROY
R 1939

4

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Subbaji Narasimha Kulkarni of Gunda

ಭಂಗಾರಪೇಟೆ ಪೊಲೀಸ್ ಠಾಣೆ

ದಿನಾಂಕ:

ದಾರಿಗಾಡಿ ಜಿಲ್ಲಾ ಎಸ್.ಪಿ.ಯವರಿಗೆ ಸಲ್ಲಿಸಿದ

ಕೆರಳಿಕಿ ಬಿಳ್ಳದ ಪ್ರಾಥಮಿಕ ಶಾಲೆಯ ಸಹಶಿಕ್ಷಕರಾದ

ಶ್ರೀ ಬಿ.ಎಸ್.ಶಿವಪ್ರಸಾದ್ ಬಿನ್ ಲೇ|| ಕಾರದಕಟ್ಟೆ ಬಿ

ಪೊಲೀಸ್ ನಿರೀಕ್ಷಕರವರಿಗೆ ಸ್ವಯಂ ಪ್ರೇರಣೆಯಿಂದ ಸಲ್ಲಿಸುವ ದೂರು

ಕಾರ್ಯಪ್ಪ ಬಿನ್ ಗಣಪಯ್ಯ ಕೆ.ಜಿ.

ವಯಸ್ಸು ೨೬ ವರ್ಷ

ಉ: ಕ್ಷೌರದ ಅಂಗಡಿ ನಡೆಸಿಕೊಂಡು ಜೀವನ ಸಾಗಿಸುವವನು

ಉ: ಸೈಕಲ್ ಅಂಗಡಿ ಪ್ರಾರಂಭಿಸಲು ಸಾಲ ಕೊಡಿಸಬೇಕಾಗಿ

ಸಾಲವನ್ನು ಕೊಡಿಸಿದರೆ ಅದನ್ನು ತೀರಿಸುವುದಾಗಿ

ಮನವಿ ಪತ್ರವನ್ನು ಸಲ್ಲಿಸಿದ್ದು ಅದರಲ್ಲಿ ಸಾಲ ಕೊಡಿಸಿದರೆ ಅದನ್ನು ತೀರಿಸುವುದಾಗಿ

G.R.S. 29A]

190

From

Secy. to the Govt. of His Highness the Maharaja of Mysore, Genl. and Rev. Dept.

To The Deputy Commissioner, Shimoga District.

Dated

Despatched 10.3.09

Received

General No. 1255

No. 1/11-05-3

Enclosure No.

Has the honour to invite attention to the D.R.A. Dy. No. 3604/08 dated 1908 the restoration of Sri Renukamba temple at Chandragutti in the Sagar Taluk and to request that a report thereon may be submitted at an early date

BD

8/3/09

for Secy.

4/3/09

MGCPB--20,000--16-2 05

~~VII 4 v 4~~ D1336

1909

Mar 7-411-08-4

From M Narain Rao Esquire
Deputy Commissioner
Shimoga District

To K. S Chandrashekara Aiya, Esqr
B.A. B.L
Secy. to Govt General & Revenue
Department
Bangalore

Dated 19th April 1909.

Despatched

Received

General No. 564

No. 86

Enclosure No./

Submits in reply to your docket
No 1253 of 10th march 1909
Mar 7 411-08-2
in the restoration of Sri Rama Kanth
Temple at Chandragutti in the
Sorab Taluk.

— o —

Refer
Area
report
by

12

No. 564 Ext.
96

Deputy Commissioner's
Shemoga District
Dated 19th April 1909.

From

M. Narain Rao Esquire,
Deputy Commissioner
Shemoga District.

To

K. S. Chandrasekhara Iyer Esquire Ba. B.L.
Secretary to the Government of Mysore
General and Revenue Departments
Muzrai Branch

Sir,

In reply to your docket No. 1255 of
Mwz F 411-08-2
10th April 1909 in the restoration of Sri Renukamba temple at Chandragutti in Sorab Taluk I have the honour to forward herewith copy of Executive Engineer's docket No. 383 of 10th April 1909 whereon it is stated that the estimate for the urgent repairs to be done to the above temple is under preparation.

I have the honour to be,
Sir
Your most obedient Servant

For Deputy Commissioner
Shemoga District

1909

From -

The Executive Engineer
Shemoga Division

To

The Deputy Commissioner
Shemoga District

Dated 8th April 1909

General No. 383

No

In reply to his no: 491 of 6th Instant regarding the preparation of plan and estimate for repairing the Sri Ramkamba temple at Chendragutty Sorab Taluk, has the honour to state that an estimate has been received from No 2 Sub Division Officer and it is under check in this Office

Sd/ K. Venkata murty Rao
for Executive Engineer
Shemoga Division

"Copy"

For Deputy Commissioner
Shimoga DC

D 1841

~~1910~~

From Dy. M.F. 411-08-5
K. Srinivasa Rao Esq
offg Deputy Commissioner
Shimoga District

To C.S. Balasundram Iyer Esq B.A.
offg: Secretary to Govt
Gen & Rev Depts
Mysore

Dated
Despatched 21st April 1910.
Received
General No. 437
Immg No. 42
Enclosure No. 1+1

In continuation of this office letter no: 564 of 19th April 1909 re-the restoration of a temple at Chandragutti forwards for Sanction an estimate to Rs 4407- received from the Executive Engineer

Refer and submit by

No: 463
Murzai 42

Deputy
Dated, Shimoga. 1st

From

H. Srinivasa Rao Esquire,
Offg: Deputy Commissioner.
Shimoga District

To

C.S. Balasundram Iyer Esquire B.A.
Offg Secretary to Government,
General & Revenue Departments.
Murzai Branch

Sir,

In continuation of my letter no: 564
Dated 19th April 1909 regarding the restoration of Sri Renukamba Temple at Chandragutti in the Sorab Taluk, I have the honour to forward herewith for sanction an estimate amounting to Rs 4407- received with the Shimoga Division Executive Engineer's docket no: 228 Dated 22d ultimo cover of which is herein enclosed for information together with the report accompanying the estimate.

2 The cost may be met out of the Rs 2369-8-2 available at the credit of the institution at the end of January 1910.

I have the honor to be,
Sir,
Your most obedient Servant,

H. Srinivasa Rao
Offg Deputy Commr.
Shimoga District

11

No 431/42 En 171

15

From

The Executive Engineer,
Shimoga Division

To

The Deputy Commissioner,
Shimoga District.

Dated, Camp Thirthahally, 19.3.10
Despatched 22/3/10 No: 228 Enc {1 Estimate / 1 Report

His no: 191 dated 3.12.07 requesting to be furnished with an estimate for repairing the leaky roof of the Renukambha's temple at Chandragutty in Sorab Taluk.

Has the honour to forward herewith an estimate amounting to Rs 440 for the treatment of the leaky roof of the above mentioned temple with Patent Ruberoid roofing, which will not only be cheaper than any other treatment but makes a perfectly water tight roof covering without the necessity of dismantlement or knocking the buildings about and further without interfering with the original appearance or architectural features of the temple.

Sd. F. A. Steele
Executive Engineer.

Copy.

Off Dy Commissioner
Shimoga District

16

Muz. 1]

190

From

To The Chief Engineer of Mysore-

Dated

Despatched 25. 4. 1910

Received

General No. 257/Genl

No. ~~444~~ 411-08-

With Enclosure No.

Sir

In forwarding ~~herewith~~ herewith an Estimate for Rs. 440/- for repairing the Sri Ramtkamba temple at Chandragutti in the Sagar Taluk, I am directed to request the favour of your opinion ~~as to~~ on the proposal to use uberoid roofing for a temple in the Malnad on a hill where the probable rainfall ~~is probably excessive above~~ is above 100 inches.

~~100 inches~~.

The favour of an early reply is requested.

I have &c

By order

for Secretary

(to be obligingly returned)

G P b—3,000—19-9-07

1910 D 517

From The Deputy Commissioner, Bellary

To The Secretary to the Government of Mysore General & Rev. Depts Marpai Branch

Dated

Despatched 16th September 1910

Received

General No. 167

No. 24

Enclosure No. 1

With reference the subject brought before the preliminary meeting of the Dasara Representatives members re the restoration of the Sri Rana Kamba temple at Chandrapath, states that an estimate was sent with this Office No 437/42 dt 14.10 for Rs 1,600

Forty, letter.

I am drawing Rs 1½ Lakhs

20/9/1910

GPB—70 1 Cat 6—27 12 09

Offi

Di

No 107/24

Dated Shim th Sep er

Frdm

K. Srinivasa Row, Esquire,

Deputy Commissioner,

SHIMOGA.

To

C. S. Balasundaram Iyer Esquire, B. A.,

Officiating Secretary to the Government of

His Highness the Maharaja of Mysore,

Muzerai Branch,

BANGALORE.

Sir,

In forwarding herewith for your information a copy of the recommendation re the restoration of Sri Renukamba temple at Chandragutti made by Messrs. Nadig Lakshman Row and Bhaskar Row, Representative members for the Sorab Taluk, in the preliminary meeting held for the selection of subjects to be sent up for discussion at the ensuing Session of the Representative Assembly, I have the honor to state that an estimate for the repairs of this temple was sent up for sanction with this office letter No. 437/42 dated 1st April 1910. As this institution is one of antiquity, resorted to by pilgrims from distant parts, and as it is situated in a region of heavy rainfall, it is very necessary that its repair should be taken up very early. The subject, moreover, has been pending for a long time, and the present condition of the building is reported to be very deplorable.

Under the above circumstances I request that sanction of Government may be accorded at a very early date to the estimate referred to above.

I have the honor to be,

Sir,

Your most obedient servant,

Subject No. 364 of 1908
Reply of Government — "will be referred to the Deputy Commissioner"

Messrs Nadig Lakshmanrao and Bhaskara Rao, members for the Sorab Taluk. Repairing the temple of Sri Renukamba at Chandragutti

Local

The temple of Sri Renukamba at Chandragutti is an old and famous temple to which pilgrims from distant parts come annually for the car-festival. The temple is now very much in disrepair, and if its repairs are not taken up early, it is feared that some portions of the building may come down. The dilapidated condition of the building causes a diminution both in the number of visitors and also in the income of the temple. As this subject has been long under correspondence without anything substantial being done for the restoration of the temple, it is prayed that necessary steps may be taken at once for restoring this ancient institution.

"Copy"

Deputy Commissioner
Shimoga District

89

89 21

File No. 411-08

Serial No. 8

Diary No. of letter replied to _____

No. 252 -D.5/10/10

Dmc 411-08-8

General and Revenue Secretariat

( )

, the 190

To

The Deputy Commr

Shimoga Distt.

Date of issue _____

Signed by _____

His letter No 107
dated the 16th Sept 24 1910

With reference to the above, has the honor to state that that the estimate for the repairs of the Sri Ramakamba temple at Chandragutti forwarded with his letter No 437 D 1.4.10 has been sent to the Chief Engineer of elegon

over.

SUBJECT.

For opinion. After
the receipt of a
reply from him necessary
orders will be
issued in the matter.

B O

23/9/1911

for Secy

List of enclosures,

Copied by

Examined by

GPB—10,000—23-5-08

Deputy Commissio

No. 2486.

MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE.

Bangalore....27th..March.....1911..

From

M. VISVESVARAYA, ESQ., M.I.C.E.,
Chief Engineer of Mysore,
Bangalore.

To

C. S. Balasundaram Iyer Esq., B.A.,
Offg. Secretary to Government,
General & Revenue Departments.

SIR,

In reply to your No:2571/Muz 411-08 dated the 25th April 1910, forwarding for opinion an estimate for covering the roof of Sri Renukamba temple at Changragatti, Sagar Taluk, with ruberiod roofing, I have the honour to state that this material was used for an identical purpose in Saklespur, Hassan District, where the rainfall is about the same as in Sagar, and is reported to have proved quite unsuitable for the purpose.

2. Further use of this material is not considered desirable. Good concrete and plaster ought to answer in the particular instance named.

I have the honour to be,

Sir,

Your most obedient servant,

Chief Engineer,
Mysore P.W.D.

T.N.A.

GPB—500—13 12 10

MYSORE P. W. DEPARTMENT

No. 2488

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore.

To

The Offg Secretary
to the Jeneral and Revenue
departments

Dated Bangalore } 27th March 1911
Despatched

Enclosure No.

SUBJECT.

Giving opinion in the
matter of using ruberid
for roofing purposes.

Dft. for approval

~~File No.~~

Serial No.

*Diary No. of letter replied to*_____

No. 2583 Dt 10/4/11

Dmur 411-08-10

General and Revenue Secretariat

( )

, the 190

To

The Chief Engineer
of Mysore,

Sir,

Adverting to your letter no 2486 dated 29th March 1911 furnishing opinion on the estimate for covering the roof of Sri Renukamba Temple at Chandragutti, Sagar Taluk, with ruberoid roofing, I am directed to request that the estimate for Rs 440/- forwarded ~~under cover of~~ with this office letter no 2571 Dt 25th April 1910, returned may kindly be ~~re-transmitted~~. as early as possible I have the honour to be

Sir

Your most obedient servant

Dft 4/4/11
Sd for O/C Secretary
3/4/11

Date of issue _____

Signed by _____

SUBJECT

List of enclosures,

Copied by

Examined by

GPB—10,000—23 5 68

Off Copy Ker

F.R.S. 29A]

19

From

Secy. to the Govt. of His Highness
The Maharaja of Mysore,
Genl. and Rev. Dept.

To

The Dy Commr,

Dated Shimoga Distt.

Despatched 6th Inst.

Received

General No.

No. /11

Enclosure No.

In continuation of this office docket no. 852 dated 5th October 1910, has the honor to forward copy of letter no. 2486 dy 24th march 1911 from the Chief Engineer of together with the estt for Rs 4407, and to requ that under the circum stated by the ch. Engr, a revised estimate for repairs to the Sri Ramkanika Temple at Chandragutti may if necessary be kindly

C&A 4/5/11

GPB—20,000—24-10-10.

Invited for Dinner
7 Guests

By order
DSA
29.4.11
for Offg. Secretary.
1.5.11

No. 2841
Copy to Mun. 2 411-08-1911 Dy 6th May 1911.
the Ch. Engr
Mysore) ~~in continuation of~~
~~this Office no 2553 dated~~
~~11th April 1911~~ for information.

By order
DSA
29.4.11
for Offg. Secretary.
1.5.11

D 1985

190 411-08- 12

From Deputy Commissioner
Shimoga Division

To The Secretary to the
Government of Mysore,
General & Revenue Dept
(Muzrai Branch)

Dated

Despatched 25th May 1911

Received

General No. 358

No. 75

Enclosure No. 1

Submits an estimate
for making the roof
the Sree Ramkamma
temple at Chandragutti
in the Sorab Taluk
water tight.

GPD—70 reams—27 12 09

- 358/75 Ent.

Shimoga - 25th May 1911.

From

The Deputy Commissioner
Shimoga District

To C. S. Balasundaram Esq B.A.,
Hg:- Secretary to the Government
of Mysore, General & Revenue
Muzrai Branch Dept

Sir,

I have the honor to state that during my visit to Chandragutti, in the Sorab Taluk, on the 10th ultimo for Jamabandi of that Hobli, I inspected the Sri Renukamma's Temple there. The temple is one of ancient and historic renown and of considerable architectural - - beauty decorates from various parts of the province and from British India visit the place almost every day. The temple requires urgent repairs and if it is not repaired promptly, it is likely to come down during this raining season

I would therefore request you to be so good as to obtain sanction of Government to the estimate amounting to Rs 200/- herewith submitted for making the roof water tight

3. The amount of the estimate may be met out of Rs 6244-3-9 available at the Credit of the institution on 1st April 1911-

4. Early orders may be passed in the matter so that the work may be put in hand early and completed before the rainy season Commences.

5. Orders have been issued to the Amildar of Sorab Taluk to submit a revised estimate as directed in Government order no: 2840 dated may 1911-08-10

6th may 1911

I have the honor to be
Sir,
Your most obedient Servant.

Illegible
for Deputy Commissioner
Shimoga Dist

Copy

File No. 411-08

Serial No. 13

Diary No. of letter replied to 1985

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT.

( )

, the 19

Date of issue 28 · 6 · 1911

Signed by Mr. B.S.Q.

READ—

Correspondence ending with letter No 358/75 & 25-5-1911. from the Deputy Comr, Shimoga, Submitting for sanction an estima for Rs 200/- for making the roof of ~~ORDER THEREON. No.~~ the Sree Renukamba temple at Chandragutti in the Sorab Taluk, Water tight. & and promising to ~~send~~ submit a revised estimate on receipt of the same from the Amildar

over.

SUBJECT.

28

order thereon, viz —

The Deputy Conr had originally submitted an estimate for Rs 600 for covering the roof of the temple with patent Ruberoid roofing. The chief Engineer ~~opinion being called for on the estimate, he stated~~ who was consulted in the matter is of opinion that Ruberoid roofing ~~has been~~ which was used for the same purpose in Saklespur (Hassan Dt) where the rainfall is about the same as in Sagar was found to be quite unsuitable and that good concrete & plaster ought to answer, in this case. The Dy Conr was thereupon requested to submit a revised estimate in the light of the ch. Engineer's opinion. and he has now submitted the present estimate for Rs 200/- for making the roof watertight with Concrete & plaster.

The estimate for Rs 200/- is sanctioned. It is presumed that the final revised estimate ~~is forwarded to the Controller for credit~~

~~For Chief Sec~~

G.R.S. 27]

GENERAL AND REVENUE SECRETARIAT.

(Continuation Sheet draft form)

1D 3253-S Encl 4-1 D) 28/6/11

From 411-05-13

~~2~~ The Estimate for Rs 200 is sanctioned, the Charge being met from the funds stated to be at the credit of the Institution. It is presumed that the final revised Estimate expected from the Auditor will include the one sanctioned in this order

14/6/11

2/6/11

31/5/11

To the Dy Chief Accts Officer for compliance with a copy of Govt Estt Br's Memo in Progress.

23/6/11